
Delta Computers Sova is a range of Russian professional displays designed to create modern workstations for professionals in various fields

The Sova OM2701 monitor with a 27-inch frameless FHD display is ideally suited for primary corporate use cases due to its large and high-quality screen, wide viewing angle, and excellent ergonomics

## Features:

- A Matte 27" Full HD IPS panel
- 🛕 93% screen-to-body ratio
- Wide range of graphic interfaces HDMI/DP/VGA
- Suitable for multimonitor setups due to thin bezels
- Optional height-adjustable stand installation
- Reduction of harmful blue light emissions through Low Blue Light Eye technology
- Convenient settings control with Russian menu and a joystick
- Security of the monitor is confirmed by passing the equipment special testing and special examination







- Control joystick
   with an integrated
   power button
- 2. DisplayPort 1.2
- 3. HDMI 1.4
- 4. VGA
- 5. Audio out
- 6. VESA 100 mount
- 7. Kensington Lock connector

Screen size	27 inches (68,6 cm)	Security	Kensington lock connector Security of the monitor is confirmed by passing the equipment special
Aspect ratio	16:9		testing and special examination
Panel type	IPS	Power consumption during operation	Up to 30 W
Resolution	Full HD (1920x1080)	Power consumption on standby	Up to 0.5 W
Frequency	Up to 75 Hz	Power supply unit	External
Color depth	16,7M colors	VESA mount	100x100 mm
Brightness	250 кд/м²	Stand	Standard metal, adjustable
Contrast	1 000:1		at an angle of 5/15° Height, rotation, and tilt adjustable (optional)
Dynamic contrast	10 000 000:1	Color	Black
Response time	5 ms	Weight	Standard stand version Net weight: 5 kg Gross weight: 6.2 kg
Viewing angles	178/178° horizontal/vertical		Height-adjustable stand version Net weight: 5.2 kg Gross weight: 6.4 kg
Anti-glare coating	Yes		aross weight. c.4 kg
Video outputs	1x HDMI 1.4 1920x1080 75 Hz 1x DisplayPort 1.2 1920x1080 75 Hz 1x VGA 1920x1080 60 Hz	Dimensions	Monitor dimensions without stand (WxHxD): 611x47x362 mm Monitor dimensions with standard stand (WxHxD): 611x185x460 mm Monitor dimensions with height-adjustable stand (WxHxD):
Audio	2x Speaker 3 W, 8 Ω		611x185x485(550) mm Packaging dimensions (WxHxD): 706x121x468 mm
Controls	Russian-language menu with display settings Additional 6 languages	Package kit	Power cable Power adapter Video cable Quick start guide
Additional features	FreeSync support Low Blue Light Eye support DCR support FPS/RTS modes support	Ministry of Industry and Trade	As a part of Workstation Yastreb, Display Sova OM270I is included in the Ministry of Industry and Trade register: Nos. 1742\6\2023, 1742\5\2023 and 665\1\2022

In current document, the display is depicted on a height-adjustable mount

<sup>\*</sup> Please, specify possible configuration

## Workplace Yastreb and Los

based on PCs Bober and Voron and Sova displays

- Solution for the modern workplace of professionals from different areas
- Wide choice of processors: Intel® Core™ 10, 11, 12, 13 and 14 generations or Baikal-M
- Classic set of peripherals
- Included in Register of the Ministry of Industry and Trade
- Universal line of corporate Sova displays :



- Diagonals 23,8", 27" and 31,5" with FullHD and 2K resolution
- · Modern frameless design
- High picture quality and wide viewing angle
- · Wide range of graphic interfaces HDMI/DP/VGA



## Display Sova OM2381

Диагональ 23,8" Разрешение FHD или 2K



## Display Sova OM3151

Diagonal 31,5" 2K resolution

- Supports key enterprise use cases with high image quality, wide viewing angles and excellent ergonomics
  - · Matte frameless 23,8" display
  - Premium IPS matrix
  - Suitable for multi-monitor scenario thanks to thin bezels
  - Wide range of graphic interfaces HDMI/DP/ VGA\*
- Comfortable work with graphic applications due to a large screen that allows you to work in multiwindow mode and a color palette of 1 billion colors
  - Matte 31,5" WQHD-screen
  - Premium IPS matrix with a palette of 1 billion colors
  - The screen occupies 90% of the front panel area
  - · High brightness level of 300 cd/m2

\*Check out possible configuration options